


INDUSTRY HOSE STATIONS

SW-75-PVBD

MANUAL STEAM & WATER MIXERS



Mix hot & cold water OR steam & water

SW-75-PVBD

- Manual Steam & Water Blender
- 3/4" IPS steam (or hot water) inlet, 3/4" IPS cold water inlet
- Two stop and check valves with color coded heat resistant handles on inlets, (internal parts of stainless steel construction)
- Mixing chamber with steam jet, (stainless steel)
- 3/4" outlet with dial thermometer (20 to 240°F, -5 to 115°C)
- Vacuum breaker
- Chrome plated finish
- Hose connection
- Stainless steel hose rack
- 80 PSI (5.5 bar) maximum operating steam pressure
- 125 PSI (8.6 bar) maximum operating water pressure
- Stainless steel Pedestal #4 finish, including floor plate, supply box with removable cover. Factory assembled as a complete unit
- Chrome plated finish
- Stainless steel hose rack

SW-75-PVB -Less dial thermometer

SW-75-P - Less dial thermometer & vacuum breaker

SW-75-PD -Less vacuum breaker

IMPORTANT! Not for use with steam and water pressures above 80 PSI (5.5 bar). The prevailing steam (or hot water) pressure must be slightly lower than the cold water pressure.

Not for use with unequal pressures. Install pressure reducing valves where unequal pressure conditions exist.

CAUTION: These valves may pass live steam under certain circumstances. Follow recommended operating instructions and wear protective clothing during use.

NOTE: Hose and nozzle not included. If required, please attach separate submittal sheet.

Engineer's Approval	Job # _____
	Arch/Eng. _____
	Contractor _____



1360 Elmwood Avenue, Cranston, RI 02910 USA

Phone: 401.461.1200 Fax: 401.941.5310

Email: info@leonardvalve.com

Web Site: <http://www.leonardvalve.com>