


SINGLE CONTROL FAUCET Z82300

TAG



Engineering Specification: Zurn AquaSpec® Z82300

Polished chrome plated cast brass single control kitchen faucet with an integral 10" [245mm] cast swing spout, a ceramic disc cartridge and a temperature limit stop. Unit is furnished with a 2.2 GPM [8.3 L] pressure compensating aerator (Complying with ANSI A112.18.1 Standard for flow), a metal ADA compliant lever handle, stainless steel flex connection hoses and mounting hardware.



Note: All dimensions are for reference only. Do not use for pre-plumbing

OPTIONAL ACCESSORIES

Suffix		Description
	-CP4	Chrome Plated 4" [102mm] Cover Plate
	-CP8	Chrome Plated 8" [203mm] Cover Plate
	-CST	Copper Supply Tubes
	-G	1-1/4" [32mm] Grid Strainer Drain
	-HS	Hose and Spray
	-2M	2.2 GPM [8.3 L] Vandal-Resistant Pressure Compensating Male Aerator
	-3M	.5 GPM [1.9 L] Vandal-Resistant Pressure Compensating Male Spray Outlet
	-4M	2.2 GPM [8.3 L] Vandal-Resistant Pressure Compensating Male Laminar Flow Outlet
	-5M	2.0 GPM [7.6 L] Male Spray Outlet
	-7M	1.0 GPM [3.8 L] Pressure Compensating Male Spray Outlet
	-11M	Male Threaded Single Screen Outlet
	-15M	Male Full Flow Outlet
	-16M	1.0 GPM [3.8 L] Vandal Resistant Pressure Compensating Male Spray Outlet
	-17M	1.5 GPM [5.7 L] Vandal Resistant Pressure Compensating Male Aerator
	-18FH	18" [457mm] S.S. Braided Flex Hoses
	-18M	1.5 GPM [5.7 L] Vandal Resistant Pressure Compensating Male Laminar Flow Outlet
	-19M	1.5 GPM [5.7 L] Anti-Microbial Pressure Compensating Male Laminar Flow Outlet
	-21M	1.0 GPM [3.8L] Pressure Compensating Male Laminar Flow Outlet
	-22M	1.0 GPM [3.8L] Pressure Compensating Vandal-Resistant Male Laminar Flow Outlet
	-23M	1.5 GPM [5.7L] Pressure Compensating Male Aerator
ZURN INDUSTRIES, LLC + COMMERCIAL BRASS OPERATION + 2640 SOUTH WORK STREET + FALCONER NY 14733		

Phone: 1-800-997-3876 ♦ Fax: 1-919-775-3541 ♦ www.zurn.com In Canada: ZURN INDUSTRIES LIMITED ♦ 3544 Nashua Drive ♦ Mississauga, Ontario L4V1L2 ♦ Phone: 905/405-8272 Fax: 905/405-1292

Rev. H Date: 9/27/10 Dwg. No. 62167